



f a m b u e n a
Fambuena Luminotecnia S.L.
C/ Fundación Marqués de Dos Aguas_ 12/14
Polígono Industrial de Massanassa
46470 Massanassa_ Valencia_ Spain
T +34 961 520 412 F +34 961 524 442
info@fambuena.com_ www.fambuena.com

f a m b u e n a Collection 2012

f a m b u e n a





Index

4.....	Material Romance
5.....	Highlights
6.....	Designers
8.....	Swing
14.....	Plume
18.....	Les Racines
22.....	Rafia
26.....	Back Light
30.....	Dress
40.....	Paso Doble
44.....	One
50.....	Lily
56.....	László
60.....	Up Down
64.....	Cotton
70.....	Grace
74.....	Tali
82.....	Bizarre
86.....	Excéntrica
92.....	Hanging Hoop
96.....	Cocò
100.....	Ossy
104.....	Hoop Glass
108.....	Hoop Metal
112.....	Porcelain
114.....	Up Down
118.....	Versátil
130.....	Spider
138.....	Projects
150.....	Certifications
151.....	Credits

Material Romance

El alma de los rayos de luz. La belleza intangible en el aire, que contagia lugares y personas creando una sinergia de emociones, uniendo espacios y mentes en un instante, en una mirada. Un romance de cuerpo, espacio y luz.

The soul of light rays. Their intangible beauty in the air that pervades people and places, creating a synergy of emotions, joining spaces and minds in a moment, in a glance.

A romance of shape, space and light.

L'anima del raggio di luce. La bellezza intangibile nell'aria, che contagia spazi e persone creando una sinergia emozionale, unendo spazio e mente in un unico respiro. Corpo, spazio, luce.

Die Seele des Lichtstrahls die ungreifbare, luftige Schönheit die Orte und Menschen berührt und dabei eine Synergie der Emotionen schafft indem sie Raum und Geist einem einzigen Atemzug umfasst. Eine Romanze zwischen Körper, Raum und Licht.

L'âme des rayons de lumière. La beauté intangible dans l'air, qui contagie les endroits et les personnes en créant une synergie d'émotions, en unissant les espaces et les esprits en un instant, en un regard. Un roman de corps, espace et lumière.

Highlights

Fambuena es un filtro de luz, de ideas, que apuesta por mentes jóvenes de todo el mundo. Interpreta y materializa su visión y modo de entender la luz y los espacios, independientemente del proceso o material, con la mirada fija en los ambientes y en las emociones creadas a través del lenguaje de los objetos. Hacer brillar los espacios del mundo.

Fambuena is a filter of light and ideas in pursuit of young minds all over the world. It interprets and manifests its vision and understanding of light and space, focusing on the environments and emotions created through the language of objects. It makes the world glow.

Fambuena è un filtro di luce, di idee, che punta su pensieri di menti sempre giovani di tutto il mondo, che interpreta e materializza la loro visione di capire la luce e gli ambienti, qualunque sia il processo o materiale, con l'obiettivo di creare emozioni e spazi illuminati attraverso il linguaggio degli oggetti. Far brillare gli spazi del mondo.

Fambuena ist ein Filter für Licht, für Ideen, darauf ausgerichtet die Gedanken junger Köpfe aus der ganzen Welt zu realisieren. Ihre Visionen und Ihre Art, Licht und Umgebungen zu verstehen, werden interpretiert und realisiert, in der Hoffnung, durch die Sprache der Objekte Raum und Emotion zu schaffen. Die Räume der Welt strahlen lassen.

Fambuena est un filtre de lumière, d'idées, qui parie pour les esprits jeunes du monde entier. Il interprète et matérialise sa vision et sa manière de comprendre la lumière et les espaces, avec le regard fixe dans les ambiances et les émotions créées à travers le langage des objets. Il fait briller les espaces du monde.



Vicente García Jiménez



Jehs + Laub



Carlo Contin



Sabine Leuthold



Katharina Bruckner
Verena Litzka
Stefan Moritsch



Alex Fernández Camps



Ricardo Armiñana



Hugo Tejada



Antonio Minervini




Nicola Nerboni



Yonoh



Cristian Malisan



Designers

Swing

design
Nicola Nerboni
2006








Tipología Type	Código Item#	Color Color	Material Material	Base metálica Metal finish	Medidas Dimensions	Bombillas Lamping	Certificaciones Certifications
SWING XL PLUG-IN SUSPENSION	9014-01	Blanco / White	Algodon / Cotton	Cromo n / b chrome		Halógena / Halogen Max 1x70W E27	 IP20
	9014-02	Negro / Black	Algodon / Cotton	Cromo n / b chrome			
	9014-03	Rojo / Red	Algodon / Cotton	Cromo n / b chrome		Fluorescencia compacta Energy saving Max 1x30W E27	
	9014-04	Verde / Green	Algodon / Cotton	Cromo n / b chrome			
	9014-05	Cuerda / Flax	Algodon / Cotton	Cromo n / b chrome		N. América / Japan Incandescent Max 1x150W E26 120v	
	9014-06	Marron / Brown	Algodon / Cotton	Cromo n / b chrome			
	9014-07	Violeta / Violet	Algodon / Cotton	Cromo n / b chrome		Fluorescencia compacta Energy saving Max 1x32W E26 120v	
	9014-08	Gris / Grey	Algodon / Cotton	Cromo n / b chrome			
	9014-09	Blanco / White	Algodon / Cotton	Blanco / Glossy white			
	9014-10	Negro / Black	Algodon / Cotton	Blanco / Glossy white			
	9014-11	Rojo / Red	Algodon / Cotton	Blanco / Glossy white			
	9014-12	Verde / Green	Algodon / Cotton	Blanco / Glossy white			
	9014-13	Cuerda / Flax	Algodon / Cotton	Blanco / Glossy white			
	9014-14	Marron / Brown	Algodon / Cotton	Blanco / Glossy white			
	9014-15	Violeta / Violet	Algodon / Cotton	Blanco / Glossy white			
	9014-16	Gris / Grey	Algodon / Cotton	Blanco / Glossy white			
SWING ONE XL SUSPENSION PENDANT	9028-01	Blanco / White	Algodon / Cotton	Cromo n / b chrome		Halógena / Halogen Max 1x70W E27	 IP20
	9028-02	Negro / Black	Algodon / Cotton	Cromo n / b chrome			
	9028-03	Rojo / Red	Algodon / Cotton	Cromo n / b chrome		Fluorescencia compacta Energy saving Max 1x30W E27	
	9028-04	Verde / Green	Algodon / Cotton	Cromo n / b chrome			
	9028-05	Cuerda / Flax	Algodon / Cotton	Cromo n / b chrome		N. América / Japan Incandescent Max 1x150W E26 120v	
	9028-06	Marron / Brown	Algodon / Cotton	Cromo n / b chrome			
	9028-07	Violeta / Violet	Algodon / Cotton	Cromo n / b chrome		Fluorescencia compacta Energy saving Max 1x32W E26 120v	
	9028-08	Gris / Grey	Algodon / Cotton	Cromo n / b chrome			
	9028-09	Blanco / White	Algodon / Cotton	Blanco / Glossy white			
	9028-10	Negro / Black	Algodon / Cotton	Blanco / Glossy white			
	9028-11	Rojo / Red	Algodon / Cotton	Blanco / Glossy white			
	9028-12	Verde / Green	Algodon / Cotton	Blanco / Glossy white			
	9028-13	Cuerda / Flax	Algodon / Cotton	Blanco / Glossy white			
	9028-14	Marron / Brown	Algodon / Cotton	Blanco / Glossy white			
	9028-15	Violeta / Violet	Algodon / Cotton	Blanco / Glossy white			
	9028-16	Gris / Grey	Algodon / Cotton	Blanco / Glossy white			

Certificaciones Certifications	Bombillas Lamping	Medidas Dimensions	Base metálica Metal finish	Material Material	Color Color	Código Item#	Tipología Type
IP20	Halógena / Halogen Max 1x42W E27		Cromo n / b chrome	Algodon / Cotton	Blanco / White	9004-01	SWING PLUG-IN SUSPENSION
			Cromo n / b chrome	Algodon / Cotton	Negro / Black	9004-02	
	Fluorescencia compacta Energy saving Max 1x20W E27		Cromo n / b chrome	Algodon / Cotton	Rojo / Red	9004-03	
			Cromo n / b chrome	Algodon / Cotton	Verde / Green	9004-04	
			Cromo n / b chrome	Algodon / Cotton	Cuerda / Flax	9004-05	
	N. América / Japan Incandescent Max 1x60W E26 120v		Cromo n / b chrome	Algodon / Cotton	Marron / Brown	9004-06	
			Cromo n / b chrome	Algodon / Cotton	Violeta / Violet	9004-07	
	Fluorescencia compacta Energy saving Max 1x20W E26 120v		Cromo n / b chrome	Algodon / Cotton	Gris / Grey	9004-08	
			Blanco / Glossy white	Algodon / Cotton	Blanco / White	9004-09	
			Blanco / Glossy white	Algodon / Cotton	Negro / Black	9004-10	
			Blanco / Glossy white	Algodon / Cotton	Rojo / Red	9004-11	
			Blanco / Glossy white	Algodon / Cotton	Verde / Green	9004-12	
			Blanco / Glossy white	Algodon / Cotton	Cuerda / Flax	9004-13	
			Blanco / Glossy white	Algodon / Cotton	Marron / Brown	9004-14	
			Blanco / Glossy white	Algodon / Cotton	Violeta / Violet	9004-15	
			Blanco / Glossy white	Algodon / Cotton	Gris / Grey	9004-16	
IP20	Halógena / Halogen Max 1x42W E27		Cromo n / b chrome	Algodon / Cotton	Blanco / White	9027-01	SWING ONE SUSPENSION PENDANT
			Cromo n / b chrome	Algodon / Cotton	Negro / Black	9027-02	
	Fluorescencia compacta Energy saving Max 1x20W E27		Cromo n / b chrome	Algodon / Cotton	Rojo / Red	9027-03	
			Cromo n / b chrome	Algodon / Cotton	Verde / Green	9027-04	
			Cromo n / b chrome	Algodon / Cotton	Cuerda / Flax	9027-05	
	N. América / Japan Incandescent Max 1x60W E26 120v		Cromo n / b chrome	Algodon / Cotton	Marron / Brown	9027-06	
			Cromo n / b chrome	Algodon / Cotton	Violeta / Violet	9027-07	
	Fluorescencia compacta Energy saving Max 1x20W E26 120v		Cromo n / b chrome	Algodon / Cotton	Gris / Grey	9027-08	
			Blanco / Glossy white	Algodon / Cotton	Blanco / White	9027-09	
			Blanco / Glossy white	Algodon / Cotton	Negro / Black	9027-10	
			Blanco / Glossy white	Algodon / Cotton	Rojo / Red	9027-11	
			Blanco / Glossy white	Algodon / Cotton	Verde / Green	9027-12	
			Blanco / Glossy white	Algodon / Cotton	Cuerda / Flax	9027-13	
			Blanco / Glossy white	Algodon / Cotton	Marron / Brown	9027-14	
			Blanco / Glossy white	Algodon / Cotton	Violeta / Violet	9027-15	
			Blanco / Glossy white	Algodon / Cotton	Gris / Grey	9027-16	

Plume

design
Yonoh
2010



17

Les Racines

design
Vicente Garcia Jimenez
2007





Les Racines

design
Vicente Garcia Jimenez
2007

Certificaciones Certifications	Bombillas Lamping	Medidas Dimensions	Base metálica Metal finish	Material Material	Color Color	Código Item#	Tipología Type
⊕ ⊖ CE IP20	Halógena / Halogen Max 1x200w R7s 			Aluminio / Aluminum	Blanco / White	9015-01	LES RACINES PIE FLOOR
				Aluminio / Aluminum	Rojo / Red	9015-02	
				Aluminio / Aluminum	Beige / Beige	9015-03	



Nota
Note

Regulador / Dimmer





Certificaciones Certifications	Bombillas Lamping	Medidas Dimensions	Base metálica Metal finish	Material Material	Color Color	Código Item#	Tipología Type
± ▽ CE IP20 Nota Note	Halógena / Halogen Max 1x28W E27		Blanco / White	Cordón en tejido / Fabric ribbon	Blanco / White	9057-01	RAFIA XS SUSPENSION PENDANT
	N. América / Japan Incandescent Max 1x60W E26 120v		Blanco / White	Cordón en tejido / Fabric ribbon	Rojo / Red	9057-02	
			Blanco / White	Cordón en tejido / Fabric ribbon	Beige / Beige	9057-03	
± ▽ CE IP20 Nota Note	Halógena / Halogen Max 1x42W E27		Blanco / White	Cordón en tejido / Fabric ribbon	Blanco / White	9058-01	RAFIA S SUSPENSION PENDANT
	N. América / Japan Incandescent Max 1x100W E26 120v		Blanco / White	Cordón en tejido / Fabric ribbon	Rojo / Red	9058-02	
			Blanco / White	Cordón en tejido / Fabric ribbon	Beige / Beige	9058-03	
± ▽ CE IP20 Nota Note	Halógena / Halogen Max 1x70W E27		Blanco / White	Cordón en tejido / Fabric ribbon	Blanco / White	9059-01	RAFIA M SUSPENSION PENDANT
	N. América / Japan Incandescent Max 1x150W E26 120v		Blanco / White	Cordón en tejido / Fabric ribbon	Rojo / Red	9059-02	
			Blanco / White	Cordón en tejido / Fabric ribbon	Beige / Beige	9059-03	
± ▽ CE IP20 Nota Note	Halógena / Halogen Max 1x105W E27		Blanco / White	Cordón en tejido / Fabric ribbon	Blanco / White	9060-01	RAFIA L SUSPENSION PENDANT
	N. América / Japan Incandescent Max 1x150W E26 120v		Blanco / White	Cordón en tejido / Fabric ribbon	Rojo / Red	9060-02	
			Blanco / White	Cordón en tejido / Fabric ribbon	Beige / Beige	9060-03	

Longitud cable 2m / Wire lenght 79"

Longitud cable 2m / Wire lenght 79"

Longitud cable 2m / Wire lenght 79"

Longitud cable 2m / Wire lenght 79"

Back Light

design
Vicente Garcia Jimenez
2006







Back Light

design
Vicente Garcia Jimenez
2006



Certificaciones Certifications	Bombillas Lamping	Medidas Dimensions	Base metalica Metal finish	Material Material	Color Color	Código Item#	Tipología Type
⊕ ▽ CE IP20 	Halógena / Halogen Max 1x105W E27 		Cromo n / B chrome	Cristal Triplex / Glass	Blanco /Opal	9008-01	BACK LIGHT 45 SUSPENSION PENDANT
	Fluorescencia compacta Energy saving Max 1x30W E27 		Cromo n / B chrome	Cristal Triplex / Glass	Gris / Grey	9008-02	
	N. América / Japan Incandescent Max 1x150W E26 120v 		Cromo n / B chrome	Cristal Triplex / Glass	Cognac / Cognac	9008-03	
	Fluorescencia compacta Energy saving Max 1x32W E26 120v 						
Nota Note							
⊕ ▽ CE IP20 	Halógena / Halogen Max 1x105W E27 		Cromo n / B chrome	Cristal Triplex / Glass	Blanco /Opal	9009-01	BACK LIGHT 60 SUSPENSION PENDANT
	Fluorescencia compacta Energy saving Max 1x30W E27 						
	N. América / Japan Incandescent Max 1x150W E26 120v 						
	Fluorescencia compacta Energy saving Max 1x32W E26 120v 						
Nota Note							

Dress

design
Jehs + Laub
2007






Dress


design
Jehs + Laub
2007

Tipología Type	Código Item#	Color Color	Material Material	Base metálica Metal finish	Medidas Dimensions	Bombillas Lamping	Certificaciones Certifications
DRESS M 2 SUSPENSION PENDANT	9022-01	Blanco / White	Cinta de raso / Satin ribbon			Halógena / Halogen Max lx70W E27	⊕
	9022-02	Rojo / Red	Cinta de raso / Satin ribbon			Fluorescencia compacta Energy saving Max lx30W E27	▽
	9022-03	Negro / Black	Cinta de raso / Satin ribbon				CE
	9022-04	Crema / Cream	Cinta de raso / Satin ribbon				UL US
	9022-05	Turquesa / Turquoise	Cinta de raso / Satin ribbon				IP20



Nota
Note

DRESS M SUSPENSION PENDANT	9017-01	Blanco / White	Cinta de raso / Satin ribbon			Halógena / Halogen Max lx105W E27	⊕
	9017-02	Rojo / Red	Cinta de raso / Satin ribbon			Fluorescencia compacta Energy saving Max lx30W E27	▽
	9017-03	Negro / Black	Cinta de raso / Satin ribbon				CE
	9017-04	Crema / Cream	Cinta de raso / Satin ribbon				UL US
	9017-05	Turquesa / Turquoise	Cinta de raso / Satin ribbon				IP20




Nota
Note

Difusor / Diffuser

Dress


design
Jehs + Laub
2007

Certificaciones Certifications	Bombillas Lamping	Medidas Dimensions	Base metálica Metal finish	Material Material	Color Color	Código Item#	Tipología Type
⊕ ▽ CE UL US IP20	Halógena / Halogen Max lx70 WE27			Cinta de raso / Satin ribbon	Blanco / White	9030-01	DRESS CONE SUSPENSION PENDANT
	Fluorescencia compacta Energy saving Max lx30W E27			Cinta de raso / Satin ribbon	Rojo / Red	9030-02	
				Cinta de raso / Satin ribbon	Negro / Black	9030-03	
				Cinta de raso / Satin ribbon	Crema / Cream	9030-04	
				Cinta de raso / Satin ribbon	Turquesa / turquoise	9030-05	



Nota
Note

⊕ ▽ CE UL US IP20	Halógena / Halogen Max lx70W E27			Cinta de raso / Satin ribbon	Blanco / White	9023-01	DRESS XL SUSPENSION PENDANT
	Fluorescencia compacta Energy saving Max lx30W E27			Cinta de raso / Satin ribbon	Rojo / Red	9023-02	
				Cinta de raso / Satin ribbon	Negro / Black	9023-03	
				Cinta de raso / Satin ribbon	Crema / Cream	9023-04	
				Cinta de raso / Satin ribbon	Turquesa / turquoise	9023-05	




Nota
Note

Difusor / Diffuser

Dress


design
Jehs + Laub
2007

Tipología Type	Código Item#	Color Color	Material Material	Base metálica Metal finish	Medidas Dimensions	Bombillas Lamping	Certificaciones Certifications
DRESS SQUARE APPLIQUE WALL	9024-01	Blanco / White	Cinta de raso / Satin ribbon			Halógena / Halogen Max 1x70W E27	⊕
	9024-02	Rojo / Red	Cinta de raso / Satin ribbon			Fluorescencia compacta Energy saving Max 1x30W E27	▽ CE
	9024-03	Negro / Black	Cinta de raso / Satin ribbon				UL US
	9024-04	Crema / Cream	Cinta de raso / Satin ribbon				IP20
	9024-05	Turquesa / Turquoise	Cinta de raso / Satin ribbon				



Nota
Note

DRESS RECTANGULAR APPLIQUE WALL	9025-01	Blanco / White	Cinta de raso / Satin ribbon			Halógena / Halogen Max 2x42W E27	⊕
	9025-02	Rojo / Red	Cinta de raso / Satin ribbon			Fluorescencia compacta Energy saving Max 2x23W E27	▽ CE
	9025-03	Negro / Black	Cinta de raso / Satin ribbon				UL US
	9025-04	Crema / Cream	Cinta de raso / Satin ribbon				IP20
	9025-05	Turquesa / Turquoise	Cinta de raso / Satin ribbon				




Nota
Note

Dress


design
Jehs + Laub
2007

Certificaciones Certifications	Bombillas Lamping	Medidas Dimensions	Base metálica Metal finish	Material Material	Color Color	Código Item#	Tipología Type
⊕ ▽ CE UL US IP20	Halógena / Halogen Max 6x18W E27			Cinta de raso / Satin ribbon	Blanco / White	9031-01	DRESS LINE 160 APPLIQUE WALL
	Fluorescencia compacta Energy saving Max 6x9W E27			Cinta de raso / Satin ribbon	Rojo / Red	9031-02	
				Cinta de raso / Satin ribbon	Negro / Black	9031-03	
				Cinta de raso / Satin ribbon	Crema / Cream	9031-04	
				Cinta de raso / Satin ribbon	Turquesa / turquoise	9031-05	



Nota
Note

⊕ ▽ CE UL US IP20	Halógena / Halogen Max 6x18W E27			Cinta de raso / Satin ribbon	Blanco / White	9032-01	DRESS LINE 180 APPLIQUE WALL
	Fluorescencia compacta Energy saving Max 6x9W E27			Cinta de raso / Satin ribbon	Rojo / Red	9032-02	
				Cinta de raso / Satin ribbon	Negro / Black	9032-03	
				Cinta de raso / Satin ribbon	Crema / Cream	9032-04	
				Cinta de raso / Satin ribbon	Turquesa / turquoise	9032-05	



Nota
Note

Paso Doble



design
Sabine Leuthold
2006





Paso Doble

design
Sabine Leuthold
2006

Certificaciones Certifications	Bombillas Lamping	Medidas Dimensions	Base metálica Metal finish	Material Material	Color Color	Códigos Item#	Tipología Type
   IP20	Halógena / Halogen Max 1x42w E27 230v 		Cromo n / B Chrome	Algodón / Cotton	Blanco / White	9005-01	PASO DOBLE S MESA TABLE
	N.America / Japan Incandescent Max 1x60w E26 120v 		Cromo n / B Chrome	Algodón / Cotton	Dorado / Gold	9005-02	
	Nota Note Regulador / Dimmer Difusor en cristal / Glass diffuser						
   IP20	Halógena / Halogen Max 2x42w E27 230v 		Cromo n / B Chrome	Algodón / Cotton	Blanco / White	9006-01	PASO DOBLE M MESA TABLE
	N.America / Japan Incandescent Max 2x60w E26 120v 		Cromo n / B Chrome	Algodón / Cotton	Dorado / Gold	9006-02	
	Nota Note Regulador / Dimmer Difusor en cristal / Glass diffuser						








Certificaciones Certifications	Bombillas Lamping	Medidas Dimensions	Base metálica Metal finish	Material Material	Color Color	Código Item#	Tipología Type
 IP20	Halógena / Halogen Max 3x25W G9 	 Ø 26 cm Ø 10 1/8" 35 cm 13 3/4"		Cerámica / Ceramic	Blanco / White	9061-01	ONE M MESA TABLE
				Cerámica / Ceramic	Negro / Black	9061-02	
Nota Note							
 IP20	Halógena / Halogen Max 3x25W G9 	 Ø 40 cm Ø 15 3/4" 54 cm 21 1/4"		Cerámica / Ceramic	Blanco / White	9062-01	ONE L MESA TABLE
				Cerámica / Ceramic	Negro / Black	9062-02	
Nota Note							
 IP64	Halógena / Halogen Max 1x42W E27 N.America / Japan Incandescent Max 1x60w E26 120v 	 Ø 18 cm Ø 7 1/2" 19 cm 7 1/2" Ø 26 cm Ø 10 1/8"	Blanco / White	Cerámica / Ceramic	Blanco / White	9064-01	ONE M SUSPENSION PENDANT
			Cromo n / B Chrome	Cerámica / Ceramic	Negro / Black	9064-02	
Longitud cable 2m / Wire lenght 79"							
 IP64	Halógena / Halogen Max 1x70W E27 N.America / Japan Incandescent Max 1x100w E26 120v 	 Ø 18 cm Ø 7 1/2" 28 cm 10 7/8" Ø 37 cm Ø 14 5/8"	Blanco / White	Cerámica / Ceramic	Blanco / White	9065-01	ONE L SUSPENSION PENDANT
			Cromo n / B Chrome	Cerámica / Ceramic	Negro / Black	9065-02	
Longitud cable 2m / Wire lenght 79"							
 IP20	Halógena / Halogen Max 3x25W G9 	 Ø 26 cm Ø 10 1/8" 32 cm 12 1/2"		Cerámica / Ceramic	Blanco / White	9063-01	ONE APPLIQUE WALL
				Cerámica / Ceramic	Negro / Black	9063-02	
Nota Note							

Lily

design
Yonoh
2010







Certificaciones Certifications	Bombillas Lamping	Medidas Dimensions	Base metálica Metal finish	Material Material	Color Color	Código Item#	Tipología Type
⊕ ▽ CE ⚡ IP20 UL US	Fluorescencia compacta Energy saving Max 1x32W E27 N. América / Japan Fluorescencia compacta Energy saving Max 1x32W E26 120v		Blanco / White Cromo n / B chrome Blanco / White	Tejido técnico / Technical fabric	Blanco / White Rojo / Red Marrón / Brown	9056-01 9056-02 9056-03	LILY SUSPENSION PENDANT
Nota Note Longitud cable 2m / Wire lenght 79"							

Làszlò



design
Cristian Malisan
2006





László

design
Cristina Malisan
2006

Certificaciones Certifications	Bombillas Lamping	Medidas Dimensions	Base metálica Metal finish	Material Material	Color Color	Código Item#	Tipología Type
   IP20 Nota Note	Halógeno Max 1x35w 12V GU10 		Cromo n / B chrome	Plástico / Plastic	Blanco / White	9002-01	LÁSZLÓ MESA TABLE
   IP20 Nota Note	Halógena / Halogen Max 1x70W E27 230v  Fluorescencia compacta Energy saving Max 1x23W E27  N.America / Japan Incandescent Max 1x150W E26 120v  Fluorescencia compacta Energy saving Max 1x32W E26 120v 		Cromo n / B chrome	Plástico / Plastic	Blanco / White	9013-01	LÁSZLÓ PIE FLOOR
Regulador / Dimmer							

Up Down


design
Vicente Garcia Jimenez
2010



Up Down



design
Vicente García Jiménez
2010



Certificaciones Certifications	Bombillas Lamping	Medidas Dimensions	Base metálica Metal finish	Material Material	Color Color	Código Item#	Tipología Type
⊕ ▼ CE IP20	Halógena / Halogen Max 1x75W PAR30 - 30° E27			Metálico / Metal	Blanco / White	9070-01	UP DOWN PLAFON CEILING
	N. América / Japan Halógena / Halogen Max 1x75W PAR30 - 30° E26 120v			Metálico / Metal	Latón pulido / Polished brass	9070-02	
				Metálico / Metal	Cromo / Chrome	9070-03	
				Metálico / Metal	Cromo Negro / Black Chrome	9070-04	

Nota
Note

Regulación manual de la altura / Fixture height is adjustable
For N. America this item has a round mounting plate 6 1/4"



Cotton

design
fambuena lab
2009







Tipología Type	Código Item#	Color Color	Material Material	Base metálica Metal finish	Medidas Dimensions	Bombillas Lamping	Certificaciones Certifications
COTTON S MESA TABLE	9036-01	Blanco / White	Algodón / Cotton	Blanco / White		Halógena / Halogen Max 1x28W E27 Fluorescencia compacta Energy saving Max 1x11W E27 	
	9036-02	Rojo / Red	Algodón / Cotton	Blanco / White			
	9036-03	Negro / Black	Algodón / Cotton	Blanco / White			
	9036-04	Beige / Beige	Algodón / Cotton	Blanco / White			
	9036-05	Verde / Green	Algodón / Cotton	Blanco / White			
	9036-06	Azul / Blue	Algodón / Cotton	Blanco / White			
							Nota Note
COTTON M MESA TABLE	9037-01	Blanco / White	Algodón / Cotton	Blanco / White		Halógena / Halogen Max 1x70W E27 Fluorescencia compacta Energy saving Max 1x23W E27 	
	9037-02	Rojo / Red	Algodón / Cotton	Blanco / White			
	9037-03	Negro / Black	Algodón / Cotton	Blanco / White			
	9037-04	Beige / Beige	Algodón / Cotton	Blanco / White			
	9037-05	Verde / Green	Algodón / Cotton	Blanco / White			
	9037-06	Azul / Blue	Algodón / Cotton	Blanco / White			
							Nota Note
							Difusor en acrílico / Acrylic diffuser


Certificaciones Certifications	Bombillas Lamping	Medidas Dimensions	Base metálica Metal finish	Material Material	Color Color	Código Item#	Tipología Type
	Halógena / Halogen Max 1x105W E27		Blanco / White	Algodón / Cotton	Blanco / White	9039-01	COTTON PIE FLOOR
	Fluorescencia compacta Energy saving Max 1x30W E27		Blanco / White	Algodón / Cotton	Rojo / Red	9039-02	
	N. América / Japan Incandescent Max 1x150W E26 120v		Blanco / White	Algodón / Cotton	Negro / Black	9039-03	
	Fluorescencia compacta Energy saving Max 1x32W E26 120v		Blanco / White	Algodón / Cotton	Beige / Beige	9039-04	
			Blanco / White	Algodón / Cotton	Verde / Green	9039-05	
			Blanco / White	Algodón / Cotton	Verde / Green	9039-05	
Nota Note							
Regulador / Dimmer							
	Halógena / Halogen Max 1x42W E27		Blanco / White	Algodón / Cotton	Blanco / White	9040-01	COTTON M SUSPENSION PENDANT
	Fluorescencia compacta Energy saving Max 1x30W E27		Blanco / White	Algodón / Cotton	Rojo / Red	9040-02	
	N. América / Japan Incandescent Max 1x100W E26 120v		Blanco / White	Algodón / Cotton	Negro / Black	9040-03	
	Fluorescencia compacta Energy saving Max 1x32W E26 120v		Blanco / White	Algodón / Cotton	Beige / Beige	9040-04	
			Blanco / White	Algodón / Cotton	Verde / Green	9040-05	
			Blanco / White	Algodón / Cotton	Verde / Green	9040-05	
Nota Note							
Longitud cable 2m / Wire lenght 79"							
	Halógena / Halogen Max 1x105W E27		Blanco / White	Algodón / Cotton	Blanco / White	9041-01	COTTON L SUSPENSION PENDANT
	Fluorescencia compacta Energy saving Max 1x30W E27		Blanco / White	Algodón / Cotton	Rojo / Red	9041-02	
	N. América / Japan Incandescent Max 1x150W E26 120v		Blanco / White	Algodón / Cotton	Negro / Black	9041-03	
	Fluorescencia compacta Energy saving Max 1x32W E26 120v		Blanco / White	Algodón / Cotton	Beige / Beige	9041-04	
			Blanco / White	Algodón / Cotton	Verde / Green	9041-05	
			Blanco / White	Algodón / Cotton	Verde / Green	9041-05	
Nota Note							
Longitud cable 2m / Wire lenght 79"							

Grace

design
Antonio Minervini
2008





Certificaciones Certifications	Bombillas Lamping	Medidas Dimensions	Base metalica Metal finish	Material Material	Color Color	Código Item#	Tipología Type
⊕ ⚡ CE IP20	Incandescente/Incandescent Max 1x100W E27 220/240v  N. América / Japan Max 1x100W E26 120v 			Polvo de marmol / Crushed marble	Blanco / White	9029-01	GRACE PIE MESA FLOOR TABLE
				Polvo de marmol / Crushed marble	Rojo / Red	9029-02	
				Polvo de marmol / Crushed marble	Crema / Cream	9029-04	
				Polvo de marmol / Crushed marble	Negro / Black	9029-05	
Nota Note							
Regulador / Dimmer							



Tali

design
Yonoh
2009










Certificaciones Certifications	Bombillas Lamping	Medidas Dimensions	Base metálica Metal finish	Material Material	Color Color	Código Item#	Tipología Type
   IP20	Fluorescencia compacta Energy saving Max 1x15W E27  N. América / Japan Fluorescencia compacta Energy saving Max 1x15W E26 120v 		Blanco / White	Cordón de tejido / Fabric cord	Blanco / White	9042-01	TALI MESA
			Blanco / White	Cordón de tejido / Fabric cord	Beige / Beige	9042-04	TABLE
   IP20	Fluorescencia compacta Energy saving Max 1x23W E27  N. América / Japan Fluorescencia compacta Energy saving Max 1x23W E26 120v 		Blanco / White	Cordón de tejido / Fabric cord	Blanco / White	9043-01	TALI PIE
			Blanco / White	Cordón de tejido / Fabric cord	Beige / Beige	9043-04	FLOOR

Nota
Note

Nota
Note

Tipología Type	Código Item#	Color Color	Material Material	Base metálica Metal finish	Medidas Dimensions	Bombillas Lamping	Certificaciones Certifications
TALI S SUSPENSION PENDANT	9044-01	Blanco / White	Cordón de tejido / Fabric cord	Blanco / White		Fluorescencia compacta Energy saving Max 1x15W E27 N. América / Japan Fluorescencia compacta Energy saving Max 1x15W E26 120v 	 IP20
	9044-04	Beige / Beige	Cordón de tejido / Fabric cord	Blanco / White			
					Nota Note Longitud cable 2m / Wire lenght 79"		
TALI M SUSPENSION PENDANT	9045-01	Blanco / White	Cordón de tejido / Fabric cord	Blanco / White		Fluorescencia compacta Energy saving Max 1x25W E27 N. América / Japan Fluorescencia compacta Energy saving Max 1x32W E26 120v 	 IP20
	9045-04	Beige / Beige	Cordón de tejido / Fabric cord	Blanco / White			
					Nota Note Longitud cable 2m / Wire lenght 79"		
TALI L SUSPENSION PENDANT	9066-01	Blanco / White	Cordón de tejido / Fabric cord	Blanco / White		Fluorescencia compacta Energy saving Max 1x25W E27 N. América / Japan Fluorescencia compacta Energy saving Max 1x32W E26 120v 	 IP20
	9066-04	Beige / Beige	Cordón de tejido / Fabric cord	Blanco / White			
					Nota Note Longitud cable 2m / Wire lenght 79"		

Certificaciones Certifications	Bombillas Lamping	Medidas Dimensions	Base metálica Metal finish	Material Material	Color Color	Código Item#	Tipología Type
 IP20	Fluorescencia compacta Energy saving Max 1x15W E27  N. América / Japan Fluorescencia compacta Energy saving Max 1x15W E26 120v 		Blanco / White	Cordón de tejido / Fabric cord	Blanco / White	9067-01	TALI APLIQUE WALL
			Blanco / White	Cordón de tejido / Fabric cord	Beige / Beige	9067-04	
Nota Note							
 IP20	Fluorescencia compacta Energy saving Max 1x15W E27  N. América / Japan Fluorescencia compacta Energy saving Max 1x15W E26 120v 		Blanco / White	Cordón de tejido / Fabric cord	Blanco / White	9068-01	TALI BRAZO S APLIQUE WALL
			Blanco / White	Cordón de tejido / Fabric cord	Beige / Beige	9068-04	
Nota Note							
Regulación manual del ángulo / Adjustable shade Longitud cable 2m / Wire lenght 79"							
 IP20	Fluorescencia compacta Energy saving Max 1x15W E27  N. América / Japan Fluorescencia compacta Energy saving Max 1x15W E26 120v 		Blanco / White	Cordón de tejido / Fabric cord	Blanco / White	9069-01	TALI BRAZO M APLIQUE WALL
			Blanco / White	Cordón de tejido / Fabric cord	Beige / Beige	9069-04	
Nota Note							
Regulación manual del ángulo / Adjustable shade Longitud cable 2m / Wire lenght 79"							

Bizarre

design

Vicente Garcia Jimenez

2006





Certificaciones Certifications	Bombillas Lamping	Medidas Dimensions	Base metalica Metal finish	Material Material	Color Color	Código Item#	Tipología Type
⊕ ▽ CE IP20 UL US	Energy saving Max 1x26w GX24q-3	18 cm 7 1/2" 200 cm 79" 75 cm 29 1/2"	Cromo n. / B. chrome	Policryl	Blanco / White	9003-01	BIZARRE SUSPENSION PENDANT
			Cromo n. / B. chrome	Policryl	Marfil / Ivory	9003-02	

Nota

Note


5 Kg. / 11 Lbs.

⊕ ▽ CE IP20 UL US	Energy saving Max 4x26w GX24q-3	Ø 18 cm Ø 7 1/2" 200 cm 79" 125 cm 49 1/4"	Cromo n. / B. chrome	Policryl	Blanco / White	9033-01	BIZARRE XL SUSPENSION PENDANT
			Cromo n. / B. chrome	Policryl	Marfil / Ivory	9033-02	

Nota

Note

12 Kg. / 26 Lbs.



Excéntrica

design
Alex Fernández Camps
2009





Excéntrica

design
Alex Fernández Camps
2009



Tipología Type	Código Item#	Color Color	Material Material	Base metálica Metal finish	Medidas Dimensions	Bombillas Lamping	Certificaciones Certifications
EXCENTRICA APLIQUE WALL	9050-01	Blanco / White	Algodón / Cotton	Blanco / White		Halógena / Halogen Max 1x28W E14 N. América / Japan Incandescent Max 1x60W E12 120v 	
	9050-02	Rojo / Red	Algodón / Cotton	Rojo / Red			
	9050-03	Negro / Black	Algodón / Cotton	Negro / Black			

EXCENTRICA PIE FLOOR	9047-01	Blanco / White	Algodón / Cotton	Blanco / White		Halógena / Halogen Max 1x70W E27 Fluorescencia compacta Energy saving Max 1x23W E27 N. América / Japan Incandescent Max 1x100W E26 120v Fluorescencia compacta Energy saving Max 1x32W E26 120v 	
	9047-02	Rojo / Red	Algodón / Cotton	Rojo / Red			
	9047-03	Negro / Black	Algodón / Cotton	Negro / Black			

EXCENTRICA BRAZO PIE FLOOR	9052-01	Blanco / White	Algodón / Cotton	Blanco / White		Halógena / Halogen Max 1x70W E27 Fluorescencia compacta Energy saving Max 1x23W E27 N. América / Japan Incandescent Max 1x150W E26 120v Fluorescencia compacta Energy saving Max 1x32W E26 120v 	
	9052-02	Rojo / Red	Algodón / Cotton	Rojo / Red			
	9052-03	Negro / Black	Algodón / Cotton	Negro / Black			

Excéntrica

design
Alex Fernández Camps
2009

Certificaciones Certifications	Bombillas Lamping	Medidas Dimensions	Base metálica Metal finish	Material Material	Color Color	Código Item#	Tipología Type
	Halógena / Halogen Max 1x42W E27 Fluorescencia compacta Energy saving Max 1x23W E27 N. América / Japan Incandescent Max 1x60W E26 120v Fluorescencia compacta Energy saving Max 1x23W E26 120v 		Blanco / White	Algodón / Cotton	Blanco / White	9048-01	EXCENTRICA M MESA TABLE
			Rojo / Red	Algodón / Cotton	Rojo / Red	9048-02	
			Negro / Black	Algodón / Cotton	Negro / Black	9048-03	

	Halógena / Halogen Max 1x28W E14 N. América / Japan Incandescent Max 1x60W E12 120v 		Blanco / White	Algodón / Cotton	Blanco / White	9049-01	EXCENTRICA S MESA TABLE
			Rojo / Red	Algodón / Cotton	Rojo / Red	9049-02	
			Negro / Black	Algodón / Cotton	Negro / Black	9049-03	

	Halógena / Halogen Max 1x28W E14 N. América / Japan Incandescent Max 1x60W E12 120v 		Blanco / White	Algodón / Cotton	Blanco / White	9051-01	EXCENTRICA S STUDIO MESA TABLE
			Rojo / Red	Algodón / Cotton	Rojo / Red	9051-02	
			Negro / Black	Algodón / Cotton	Negro / Black	9051-03	

Hanging Hoop

design
Nicola Nerboni
2008







Hanging Hoop

design
Nicola Nerboni
2008



Certificaciones Certifications	Bombillas Lamping	Medidas Dimensions	Base metálica Metal finish	Material Material	Color Color	Código Item#	Tipología Type
⊕ ▽ CE UL US IP20	Fluorescencia/ Fluorescent circular T5 Max 1x40W N.America / Japan Fluorescencia compacta Energy saving Max 4x23W E26 120v		Negro / Black Blanco / White	Acrylic Acrylic	Negro / Black Blanco / White	9026-10 9026-12	HANGING HOOP 60 SUSPENSION PENDANT

Nota
Note

⊕ ▽ CE UL US IP20	Fluorescencia/ Fluorescent circular T5 Max 1x40W N.America / Japan Fluorescencia compacta Energy saving Max 4x23W E26 120v		Negro / Black Blanco / White	Acrylic Acrylic	Negro / Black Blanco / White	9026-11 9026-13	HANGING HOOP 80 SUSPENSION PENDANT
-------------------------------	--	---	---------------------------------	--------------------	---------------------------------	--------------------	---


Nota
Note

Cocò

design
Antonio Minervini
2009





Certificaciones Certifications	Bombillas Lamping	Medidas Dimensions	Base metálica Metal finish	Material Material	Color Color	Código Item#	Tipología Type
   IP20	Halógena / Halogen Max 1x28W E14 	 	Cable interruptor / Plug - in	Metálico / Metal	Blanco / White	9046-01	COCÒ APPLIQUE WALL
	Fluorescencia compacta Energy saving Max 1x9W E14 		Conexión a pared / Hard-wired j-box	Metálico / Metal	Blanco / White	9046-02	
	N.America / Japan Incandescent Max 1x40W E12 120v 						
	Fluorescencia compacta Energy saving Max 1x9W E12 120v 						

Nota
Note

Angulación manual regulable / Diffuser swivels to allow for ambient or task light

Ossy

design
Cristian Malisan
2006








Ossy

design
Cristian Malisan
2006



Certificaciones Certifications	Bombillas Lamping	Medidas Dimensions	Base metálica Metal finish	Material	Color Color	Código Item#	Tipología Type
 IP20	Halogena / Halogen Max 1x100W E14  N. América / Japan Incandescent Max 1x100W E26 120v 		Cromo n / B Chrome	Polipropileno / Polypropylene	Blanco / White	9000-01	OSSY 45 SUSPENSION PENDANT
			Cromo n / B Chrome	Tejido técnico / Laminated polyester	Crema / Cream	9000-02	
Nota Note							
 IP20	Halogena / Halogen Max 1x105W E27  N. América / Japan Incandescent Max 1x100W E26 120v 		Cromo n / B Chrome	Tejido técnico / Laminated polyester	Crema / Cream	9012-01	OSSY 55 SUSPENSION PENDANT
			Cromo n / B Chrome	Tejido técnico / Laminated polyester	Crema / Cream	9012-02	
Nota Note							
 IP20	Halogena / Halogen Max 1x75W E14  N. América / Japan Incandescent Max 1x75W E26 120v 		Cromo n / B Chrome	Polipropileno / Polypropylene	Blanco / White	9001-01	OSSY TABLE MESA TABLE
			Cromo n / B Chrome	Tejido técnico / Laminated polyester	Crema / Cream	9001-02	
Nota Note							
Regulador / Dimmer							

Hoop Glass


design
Nicola Nerboni
2006





Hoop Glass

design
Nicola Nerboni
2006



Certificaciones Certifications	Bombillas Lamping	Medidas Dimensions	Base metalica Metal finish	Material Material	Color Color	Código Item#	Tipología Type
⊕ ▽ CE UL ADA IP20	Fluorescent Max 1x32W G10Q N. América / Japan Fluorescent Max 1x32W T9 120v	 Ø 50 cm Ø 19 3/4" 7 cm 3"		Cristal Triplex / Glass	Blanco / White Rope	9010-02	HOOP GLASS APPLIQUE WALL PLAFON CEILING
				Cristal Triplex / Glass	Gris / Grey	9010-03	
				Cristal Triplex / Glass	Cognac / Cognac	9010-04	
Nota Note							

Hoop Metal


design
Nicola Nerboni
2006





Hoop Metal

design
Nicola Nerboni
2006



Certificaciones	Bombillas Lamping	Medidas Dimensions	base metalica Metal finish	Material Material	Color Color	Código Item#	Tipología Type
   ADA IP20	Fluorescent Max 1x32w G10Q			Metálico / Metal	Negro / Black	9010-01	HOOP Metal 50 APPLIQUE WALL PLAFON CEILING
	N. América / Japan Fluorescent Max 1x32W T9 120v			Metálico / Metal	Blanco / White	9010-05	
					Metálico / Metal	Rojo / Red	
Nota Note							

   ADA IP20	Fluorescent Max 1x32w G10Q			Metálico / Metal	Negro / Black	9011-01	HOOP Metal 70 APPLIQUE WALL PLAFON CEILING
	N. América / Japan Fluorescent Max 1x40W T9 120v			Metálico / Metal	Blanco / White	9011-02	
					Metálico / Metal	Rojo / Red	
Nota Note							



Porcelain

design
Hugo Tejada
2010







Tipología Type	Código Item#	Color Color	Material Material	Base metálica Metal finish	Medidas Dimensions	Bombillas Lamping	Certificaciones Certifications
PORCELAIN APPLIQUE WALL	9079-01	Blanco / White	Porcelana / Pocerlain	Blanco / White		Halógena / Halogen Max 1x40W G9	IP44 
	9079-02	Blanco / White	Pocerlain / Pocerlain	Latón pulido / Polished brass		N. América / Japan Halógena / Halogen Max 1x40W G9 120v	
							Nota Note
PORCELAIN PLAFON CEILING	9080-01	Blanco / White	Porcelana / Pocerlain	Blanco / White		Halógena / Halogen Max 1x40W G9	IP44 
	9080-02	Blanco / White	Pocerlain / Pocerlain	Latón pulido / Polished brass		N. América / Japan Halógena / Halogen Max 1x40W G9 120v	
							Nota Note

Certificaciones Certifications	Bombillas Lamping	Medidas Dimensions	Base metálica Metal finish	Material Material	Color Color	Código Item#	Tipología Type
 IP44 	Halógena / Halogen Max 1x40W G9 N. América / Japan Halógena / Halogen Max 1x40W G9 120v 		Blanco / White	Porcelana / Pocerlain	Blanco / White	9081-01	PORCELAIN S1A SUSPENSION PENDANT
Nota Note Longitud cable 2m / Wire lenght 79"							
 IP44 	Halógena / Halogen Max 1x40W G9 N. América / Japan Halógena / Halogen Max 1x40W G9 120v 		Blanco / White	Porcelana / Pocerlain	Blanco / White	9082-01	PORCELAIN S1B SUSPENSION PENDANT
Nota Note Longitud cable 2m / Wire lenght 79"							
 IP20 	Halógena / Halogen Max 4x40W G9 N. América / Japan Halógena / Halogen Max 4x40W G9 120v 		Blanco / White	Porcelana / Pocerlain	Blanco / White	9083-01	PORCELAIN S4A SUSPENSION PENDANT
Nota Note For N. America this item has a round mounting plate 6 1/4"							
 IP20 	Halógena / Halogen Max 4x40W G9 N. América / Japan Halógena / Halogen Max 4x40W G9 120v 		Blanco / White	Porcelana / Pocerlain	Blanco / White	9084-01	PORCELAIN S4B SUSPENSION PENDANT
Nota Note Longitud cable 2m / Wire lenght 79" For N. America this item has a round mounting plate 6 1/4"							
 IP20 	Halógena / Halogen Max 6x40W G9 N. América / Japan Halógena / Halogen Max 6x40W G9 120v 		Blanco / White	Porcelana / Pocerlain	Blanco / White	9085-01	PORCELAIN S6 SUSPENSION PENDANT
Nota Note Longitud cable 2m / Wire lenght 79" For N. America this item has a round mounting plate 6 1/4"							


Versátil

design
Ricardo Armiñana
2010









Tipología Type	Código Item#	Color Color	Material Material	Base metálica Metal finish	Medidas Dimensions	Bombillas Lamping	Certificaciones Certifications
VERSATIL SUSPENSION PENDANT	9086-01	Blanco / White	Aluminio / Aluminum	Blanco / White		Fluorescencia compacta / Saving Energy Max 1x20W QR111 GU10 110° 220v/240v	 IP20
	9086-02	Dorado / Gold	Aluminio / Aluminum	Blanco / White		LED / LED Max 1x(9x3W) PAR38 GZ10 240v	
	9086-03	Negro / Black	Aluminio / Aluminum	Blanco / White		N. América / Japan Fluorescencia compacta/ Saving Energy Max 1x20W QR111 GU10 110° 220v/240v	
	9086-04	Aluminio / Aluminum	Aluminio / Aluminum	Blanco / White		LED / LED Max 1x(9x3W) PAR38 GZ10 120v	
	9086-05	Titanio / Titanium	Aluminio / Aluminum	Blanco / White			
Nota Note Diffusor en Pyrex / Pyrex diffusor Longitud cable 2m / Wire lenght 79"							

Certificaciones Certifications	Bombillas Lamping	Medidas Dimensions	Base metálica Metal finish	Material Material	Color Color	Código Item#	Tipología Type
 IP20	LED / LED Max 1x(9x3W) PAR38 GZ10 240v		Blanco / White	Aluminio / Aluminum	Blanco / White	9087-01	VERSATIL PLAFON CEILING
	Fluorescencia compacta / Energy Saving MAX 1x20W E27 TORNADO MAX 1x23W E27 ULIPUT		Blanco / White	Aluminio / Aluminum	Dorado / Gold	9087-02	
	HID compacta / HID compact MAX 1x70W E27 HID (Must be used in combination with a gear and ignitor or electronic gear)		Blanco / White	Aluminio / Aluminum	Negro / Black	9087-03	
	MAX 1x70W GX8,5 HID (Must be used in combination with a gear and ignitor or electronic gear)		Blanco / White	Aluminio / Aluminum	Aluminio / Aluminum	9087-04	
	MAX 1x70W GX10 HID (Must be used in combination with a gear and ignitor or electronic gear)		Blanco / White	Aluminio / Aluminum	Titanio / Titanium	9087-05	

N. América / Japan
LED / LED
Max 1x(9x3W) PAR38 GZ10 120v

Fluorescencia compacta / Energy
Saving
MAX 1x20W E26 TORNADO 120v
MAX 1x23W E26 ULIPUT 120v

HID compacta / HID compact
MAX 1x70W E26 HID
(Must be used in combination with a gear and
ignitor or electronic gear)

MAX 1x70W GX8,5 HID
(Must be used in combination with a gear and
ignitor or electronic gear)

MAX 1x70W GX10 HID
(Must be used in combination with a gear and
ignitor or electronic gear)

CDM-R 70W / 830 PAR30L 40D

CDM-R 111 70W / 830 40D



h (m)	0.50	1.00	1.50	2.00	2.50
E ₀ (lx)	39699	10000	4444	2500	

h (m)	0.50	1.00	1.50	2.00	2.50
E ₀ (lx)	33878	8969	3866	2242	


Nota
Note

Diffusor en Pyrex / Pyrex diffusor
Peso 1 Kg / Weight 2,2 lbs

Tipología Type	Código Item#	Color Color	Material Material	Base metálica Metal finish	Medidas Dimensions	Bombillas Lamping	Certificaciones Certifications
VERSATIL E1 EMPOTRABLE CEILING	9088-01	Blanco / White	Aluminio / Aluminum	Blanco / White		LED / LED Max 1x(9x3W) PAR38 GZ10 240v	⊕
	9088-02	Dorado / Gold	Aluminio / Aluminum	Blanco / White		Fluorescencia compacta / Energy Saving MAX 1x20W E27 TORNADO MAX 1x23W E27 LILPUT	▽ CE 0.5 m
	9088-03	Negro / Black	Aluminio / Aluminum	Blanco / White			IP20
	9088-04	Aluminio / Aluminum	Aluminio / Aluminum	Blanco / White			
	9088-05	Titanio / Titanium	Aluminio / Aluminum	Blanco / White			



CDM-R 70W / 830 PAR30L 40D



CDM-R111 70W / 830 40D

N. América / Japan
LED / LED
Max 1x(9x3W) PAR38 GZ10 120v

Fluorescencia compacta / Energy Saving
MAX 1x20W E26 TORNADO 120v
MAX 1x23W E26 LILPUT 120v

HID compacta / HID compact
MAX1x70W E26 HID
(Must be used in combination with a gear and ignitor or electronic gear.)

MAX2x70W GX8,5 HID
(Must be used in combination with a gear and ignitor or electronic gear.)

MAX1x70W GX10 HID
(Must be used in combination with a gear and ignitor or electronic gear.)



Nota
Note


Diffusor en Pyrex / Pyrex diffusor
Peso 1,5 Kg / Weight 3,3 lbs

Certificaciones Certifications	Bombillas Lamping	Medidas Dimensions	Base metálica Metal finish	Material Material	Color Color	Código Item#	Tipología Type
IP20	LED / LED Max 2x(9x3W) PAR38 GZ10 240v		Blanco / White	Aluminio / Aluminum	Blanco / White	9089-01	VERSATIL E2 EMPOTRABLE CEILING
	Fluorescencia compacta / Energy Saving MAX 2x20W E27 TORNADO MAX 2x23W E27 LILPUT		Blanco / White	Aluminio / Aluminum	Dorado / Gold	9089-02	
			Blanco / White	Aluminio / Aluminum	Negro / Black	9089-03	
			Blanco / White	Aluminio / Aluminum	Aluminio / Aluminum	9089-04	
			Blanco / White	Aluminio / Aluminum	Titanio / Titanium	9089-05	

HID compacta / HID compact
MAX2x70W E27 HID
(Must be used in combination with a gear and ignitor or electronic gear.)

MAX2x70W GX8,5 HID
(Must be used in combination with a gear and ignitor or electronic gear.)

MAX2x70W GX10 HID
(Must be used in combination with a gear and ignitor or electronic gear.)




N. América / Japan
LED / LED
Max 2x(9x3W) PAR38 GZ10 120v

Fluorescencia compacta / Energy Saving
MAX 2x20W E26 TORNADO 120v
MAX 2x23W E26 LILPUT 120v

HID compacta / HID compact
MAX2x70W E26 HID
(Must be used in combination with a gear and ignitor or electronic gear.)

MAX2x70W GX8,5 HID
(Must be used in combination with a gear and ignitor or electronic gear.)


MAX2x70W GX10 HID
(Must be used in combination with a gear and ignitor or electronic gear.)



Nota
Note

Diffusor en Pyrex / Pyrex diffusor
Peso 3,4 Kg / Weight 7,5 lbs

Tipología Type	Código Item#	Color Color	Material Material	Base metálica Metal finish	Medidas Dimensions	Bombillas Lamping	Certificaciones Certifications
VERSATIL E3L EMPOTRABLE CEILING	9090-01	Blanco / White	Aluminio / Aluminum	Blanco / White		LED / LED Max 3x(9x3W) PAR38 GZ10 240v	⊕
	9090-02	Dorado / Gold	Aluminio / Aluminum	Blanco / White			▽
	9090-03	Negro / Black	Aluminio / Aluminum	Blanco / White			CE
	9090-04	Aluminio / Aluminum	Aluminio / Aluminum	Blanco / White		Fluorescencia compacta / Energy Saving MAX 3x20W E27 TORNADO MAX 3x23W E27 LILUPUT	0.5 m
	9090-05	Titanio / Titanium	Aluminio / Aluminum	Blanco / White			IP20



HID compacta / HID compact
MAX3x70W E27 HID
(Must be used in combination with a
gear and ignitor or electronic gear.)

MAX3x70W GX8.5 HID
(Must be used in combination with a
gear and ignitor or electronic gear.)

MAX3x70W GX10 HID
(Must be used in combination with a
gear and ignitor or electronic gear.)



N. América / Japan
LED / LED
Max 3x(9x3W) PAR38 GZ10
120v



Fluorescencia compacta /
Energy Saving
MAX 3x20W E26 TORNADO 120v
MAX 3x23W E26 LILUPUT 120v



HID compacta / HID compact
MAX3x70W E26 HID
(Must be used in combination with a
gear and ignitor or electronic gear.)

MAX3x70W GX8.5 HID
(Must be used in combination with a
gear and ignitor or electronic gear.)

MAX3x70W GX10 HID
(Must be used in combination with a
gear and ignitor or electronic gear.)



Nota
Note

Diffusor en Pyrex / Pyrex diffusor
Peso 5,5 Kg / Weight 12 lbs

Certificaciones Certifications	Bombillas Lamping	Medidas Dimensions	Base metálica Metal finish	Material Material	Color Color	Código Item#	Tipología Type
IP20	LED / LED Max 3x(9x3W) PAR38 GZ10 240v		Blanco / White	Aluminio / Aluminum	Blanco / White	9091-01	VERSATIL E3C EMPOTRABLE CEILING
			Blanco / White	Aluminio / Aluminum	Dorado / Gold	9091-02	
			Blanco / White	Aluminio / Aluminum	Negro / Black	9091-03	
	Fluorescencia compacta / Energy Saving MAX 3x20W E27 TORNADO MAX 3x23W E27 LILUPUT		Blanco / White	Aluminio / Aluminum	Aluminio / Aluminum	9091-04	
			Blanco / White	Aluminio / Aluminum	Titanio / Titanium	9091-05	

HID compacta / HID compact
MAX3x70W E27 HID
(Must be used in combination with a
gear and ignitor or electronic gear.)

MAX3x70W GX8.5 HID
(Must be used in combination with a
gear and ignitor or electronic gear.)

MAX3x70W GX10 HID
(Must be used in combination with a
gear and ignitor or electronic gear.)



N. América / Japan
LED / LED
Max 3x(9x3W) PAR38 GZ10
120v



Fluorescencia compacta /
Energy Saving
MAX 3x20W E26 TORNADO 120v
MAX 3x23W E26 LILUPUT 120v



HID compacta / HID compact
MAX3x70W E26 HID
(Must be used in combination with a
gear and ignitor or electronic gear.)


MAX3x70W GX8.5 HID
(Must be used in combination with a
gear and ignitor or electronic gear.)

MAX3x70W GX10 HID
(Must be used in combination with a
gear and ignitor or electronic gear.)



Nota
Note

Diffusor en Pyrex / Pyrex diffusor
Peso 5,5 Kg / Weight 12 lbs



Spider

design
Carlo Contin
2010







Spider

design
Carlo Contin
2010



Certificaciones Certifications	Bombillas Lamping	Medidas Dimensions	Base metálica Metal finish	Material Material	Color Color	Código Item#	Tipología Type
CE IP20	Halógena / Halogen Max 6x20W GU10/GZ10 230v	30 cm 11 3/4" 70 cm 27 1/2" 77 cm 30 3/8"		Metálico / Metal	Blanco / White	9073-01	SPIDER N6 SUSPENSION PENDANT
	LED / LED Max 6x5W GU10/GZ10 230v			Metálico / Metal	Latón pulido / Polished brass	9073-02	
	N. América / Japan Halógena / Halogen Max 6x20W MR16 GU10 120v			Metálico / Metal	Cromo Negro / Black Chrome	9073-03	
	LED / LED Max 6x4W MR16 GU10 120v						
Nota Note							
Longitud cable 2m / Wire lenght 79" For N. America this item has a round mounting plate 6 1/4 "							
CE IP20	Halógena / Halogen Max 8x20W GU10/GZ10 230v	50 cm 19 5/8" 70 cm 27 1/2" 106 cm 41 7/8"		Metálico / Metal	Blanco / White	9074-01	SPIDER N8 SUSPENSION PENDANT
	LED / LED Max 8x5W GU10/GZ10 230v			Metálico / Metal	Latón pulido / Polished brass	9074-02	
	N. América / Japan Halógena / Halogen Max 8x20W MR16 GU10 120v			Metálico / Metal	Cromo Negro / Black Chrome	9074-03	
	LED / LED Max 8x4W MR16 GU10 120v						
Nota Note							
Longitud cable 2m / Wire lenght 79" For N. America this item has a round mounting plate 6 1/4 "							



Alexander McQueen_New York Times_2007



El Barco_A3 T.V._2012



Schlossgarten_Switzerland_2012



El Aprendiz_Cuatro T.V._2008





El Barco_A3 T.V._2012



Restaurant_Sao Paolo_2008



Anne Awards_Belgium_2012



El Club del Chiste_A3 T.V._2010



VIVES_Castellón_2012



Cevisama_Valencia_2011



Chloé Shop_Denmark_2011



Cevisama_Valencia_2011



Facial Clinic_San Sebastian_2011



Union Hotel_Sydney_2008



Casino Lisboa_2011



Woodbrigue Hotel_New York_2010



Santa Delicia_Portugal_2011



Provocateur Club_New York_2009



My Restaurant T.V._Belgium_2011



Restaurant_Aspen U.S.A._2008




Schlossgarten_Switzerland_2010




Vinoteca_Peñíscola_2011



Union Hotel_Sydney_2008



5 Stars Hotel_Croatia._2008



Juice Store_Denmark_2010



Hotel_Greece_2010



Bonam Restaurant_Javea_2011



Hotel Elisabeth_Austria_2010




Santa Delicia_Portugal_2011



Elite Models_Paris_2011



Juice Store_Denmark_2010



Bank office_Valencia_2010



Hotel Atica 21_Barcelona_2011



VIVES_Castellón_2012



Dallas Exhibition_U.S.A._2008



VIVES_Castellón_2012

Certifications



Distancia mínima al objeto a iluminar: 0,3m.
Minimum distance from object to be illuminated: 0,30m.
Distanza minima dall'oggetto da illuminare: 0,30m.
Mindestabstand zum beleuchteten Objekt: 0,3m./
Distance minimum avec l'objet à illuminer: 0,30m.



Luminaria idónea para la instalación sobre superficies inflamables.
Object also suitable for installation on normally flammable surfaces.
Apparecchio idoneo ad essere installato anche su superfici normalmente infiammabili.
Auch auf normal entzündlichen Flächen installierbar.
Luminaire apte pour installation sur des surfaces inflammables.



Luminaria realizada en clase de seguridad I y por tanto provista de toma de tierra.
Unit realized in safety class I and provided with earth wire.
Apparecchio realizzato in classe di sicurezza I e pertanto provvisto di collegamento di terra.
Schutzklasse I, mit Erdschluss.
Luminaire réalisé en classe de sécurité I et, donc, pourvue de prise de terre.



Luminaria realizada en clase de seguridad II con refuerzo y doble aislamiento y por tanto sin dispositivo de toma de tierra.
Unit realized in safety class II with double and reinforced insulation and hence not provided with earth wire.
Apparecchio realizzato in classe di sicurezza II con rinforzo e doppio isolamento e pertanto non provvisto di collegamento di terra.
Schutzklasse II mit doppelter und verstärkter Isolierung, ohne Erdschluss.
Luminaire réalisée en classe de sécurité II avec renfort et double isolement, et donc sans dispositif de prise de terre.



Certificado de conformidad con las directivas de la comunidad europea.
It certifies the conformity of the product to the European community.
Attesta la conformità del prodotto alle disposizioni delle normative della comunità europea.
Zertifizierte Konformität mit europäischen Normen.
Certificat de conformité aux directives de la communauté européenne.



Marca de conformidad U.S.A. y Canada.
Marchio di conformità U.S.A. e Canada.
Complies with UL standards for dry locations.
Conforme à la norme U.S.A. et Canada.
Konformitätszeichen U.S.A. und Canada.



Complies with Americans Disabilities Act.

Fambuena Luminotecnica S.L. Se reserva la facultad de modificar en cualquier momento y sin preaviso las características técnicas y estéticas de los elementos ilustrados en este catálogo. Los productos realizados en vidrio tienen una tolerancia cromática y matérica que corresponde a la fabricación artesanal del mismo.

Fambuena Luminotecnica S.L. reserves the right to change, at any time and without prior warning, the technical specifications of any products illustrated in this catalogue.

Credits:

art direction : Vicente García Jiménez

graphic : Luca Silvestro

photography : Juan Jose aviñó
estudiosavino.com

thank you very much :

José Rueda Collado
Luis Nácher Pascual / Valoffice
Daniel P. Rosenbach
Enrique Chust
Reme Tortosa
Vitru
Stua
Vondom

Fambuena Luminotecnica S.L.
Cl Fundación Marqués de Dos Aguas_12/14
Polígono Industrial de Massanassa
46470 Massanassa_Valencia_Spain
T +34 961 520 412 F +34 961 524 442
info@fambuena.com_www.fambuena.com

f a m b u e n a

made and printed in Italy : Grafiche Filacorda (Udine-Italy)

© copyright
Fambuena Luminotecnica S.L. - 2012